

Evolutionary Local Search Algorithm for Portfolio Selection Problem: Spin Glass Based Approach

Majid Vafaei Jahan¹, Mohammad-R. Akbarzadeh-T.*²

¹ Department of Software Engineering, Mashhad Branch - Islamic Azad University, Mashhad, Iran

² Departments of Electrical Engineering and Computer Engineering, Ferdowsi University of Mashhad, Iran

Abstract

Nowadays, various imitations of natural processes are used to solve challenging optimization problems faster and more accurately. Spin glass based optimization, specifically, has shown strong local search capability and parallel processing. However, generally, spin glasses have a low rate of convergence, since they use Monte Carlo simulation techniques such as simulated annealing (SA). Here, we investigate a new hybrid local search method based on spin glass for using adaptive distributed system capability, extremal optimization (EO) for using evolutionary locally search algorithm and SA for escaping from local optimum states. As shown in this paper, this strategy can lead to faster rate of convergence and improved performance than conventional SA and EO algorithm. The resulting are then used to solve the portfolio selection problem that is a non-deterministic polynomial complete (NPC) problem. This is confirmed by test results of five of the world's major stock markets, reliability test and phase transition diagram.

Keywords: Spin glass model, portfolio selection, simulated annealing, extremal optimization, phase transition.

1. Introduction

Similar to artificial neural networks, genetic algorithms, and ant colony systems, spin glass is a paradigm that is inspired from the governing laws of nature. However, as compared to many of its older counterparts, the main distinguishing feature of spin glasses is their unique distributed parameter optimization by emphasizing strong parameter interaction. More specifically, spin glass model is a system of spins interacting with each other due to the existence of magnetic property among them. These spins change their quantity frequently to reach a lower energy level. When the system is at its minimum energy (or minimum temperature) state, there is no longer a visible change in spins' states and the system is said to have reached its ground state [1]. In contrast to most other optimization algorithms such as GA (Genetic Algorithm) where each chromosome represents a complete solution, every spin is only a *part* of an entire solution. The complete solution is found by the interaction of the many spins in the glass. The spin glass paradigm is therefore, a promising paradigm of adaptive distributed systems. In addition, the spin glass model enjoys lots of properties, including limited interaction of each spin with neighboring spins [2], non-exponential growth of optimized (ground) states with the increase in spin glasses' number of bonds [3], the effectiveness of environmental factors such as temperature

on system behavior, and a continuing movement towards optimized states at different temperatures [4].

Considering these capabilities, many optimization problems can be solved using such distributed facility [2]. However, like many other heuristic methods, the rate of convergence of finding ground states is low when the problem dimension grows [5]. More specifically, this is reported to be a challenging aspect of the more conventional approaches such as the simulated annealing (SA) as reported earlier in [5, 6].

To speed up the spin glass's rate of convergence, it would be desirable to choose the "right" spin that promises the most improvements in terms of convergence rate and accuracy. This would be in contrast to the standard approach where spins are chosen arbitrarily. In this paper, we address this problem by combining SA with local search strategies, specifically, Extremal Optimization (EO) [8]. In EO, on the other hand, the spin with lowest energy is chosen to change its state with a higher probability. This scheme works since changing each spin influences its other neighboring spins, and so they also change. If the total changes lead to a reduction in glass energy, the overall state of the glass improves and the correlation between spins increases. Hence, any change in each spin's state would lead to rearrange major parts of the glass. In 2001, Boettcher and Percus likened this property to an avalanche that can lead to a faster survey of different spin glasses' states and an increased rate of convergence [8]. There is no need to tune control parameters with precise values; this is the great advantage of EO [9]; but this advantage is equal to deficiency: that is a trap in local optimum. Therefore, EO is fast but non-accurate. Instead, SA is slow but accurate.

Here, we investigate a new hybrid local search method based on *spin glass* for using adaptive distributed system capability, *EO* for using evolutionary locally search algorithm and *SA* for escaping from local optimum states. This algorithm that is named (EO-SA) needs a tune parameter such as temperature (from SA), spin selection method such as aside from ranking (from EO) and locally interaction such as neighborhood spin interaction (from spin glass).

Section 2 reviews the various applications of spin glasses in solving optimization problems. Section 3 provides a mathematical description of spin glasses. The portfolio selection problem is discussed in Section 4. This section also explains how this problem can be mapped onto a spin glass. The algorithm, EO-SA, is then presented in Section 5. In Section 6, the experimental results from applying the above algorithms to five of the world's

reputable stock markets are provided. The reliability test of algorithms and their performance validity is studied in Section 7. In Section 8, the resultant Pareto frontier is compared against the benchmark Pareto frontier; and finally in Section 9, phase transition analysis of the algorithms EO-SA and SA are presented.

2. Literature Review

There is a wealth of existing literature on spin glasses in various domains in general, and physics, in particular. For the sake of brevity as well as the better focus, we are concerned here with that research related to engineering, and especially optimization, in which literature is relatively scarce. Minimum cost flow and matching problem are two examples of this kind [10]. In minimum cost flow problem, the ground state configuration of an Ising Spin glass in a random environment, in which all energies are non-negative, can be obtained with Dijkstra's algorithm to find the shortest path in the directed network with non-negative cost on the edges. In the Matching Problem, the ground state of a two dimensional spin glass model on a square lattice with nearest neighbor interaction with free boundaries can be mapped onto a matching problem of a general graph [2, 10, 11].

In 1999, Gabor and Kondor [12] used spin glasses for the first time in solving the portfolio selection problem with regard to its constraints. In their paper, they used a similar energy function to that of a Hopfield neural network [13]. In 2001, Nishimori [14, 15] considered the application of spin glasses in transferring information in noisy channels. In 2004, Horiguchi et al [16] proposed a spin glass-based routing algorithm for adaptive computer networks. Later in 2009, Vafaei and Akbarzadeh in [6] introduced migration and elitism operators to find ground state of spin glasses with only a limited number of bonds, i.e. *short range* spin glasses. There [6], authors exploited *local* interaction among spins. In contrast, we consider here the *short range* effect of spin interaction by investigating the use of extremal optimization (EO).

The EO heuristic was first motivated by the Bak-Sneppen model of biological evolution [9] in 1993 intended for a lattice (glass) of cooperating species (spins). Some applications of this method were analyzed in solving optimization problems, including, solving the problem of the travel salesman problem [11], graph partitioning [17, 18], graph coloring [19, 20], social modeling [21], complex network analysis [22], and molecular dynamics' simulation [23].

More specifically, EO is inspired by self-organized criticality (SOC), which is a statistic physics concept to describe a class of systems that have a critical point as an attractor [24]. In SOC, there is no need to tune control parameters with precise values. Just inspired by this principle, EO drives the system far from equilibrium: aside from ranking, there exists no adjustable parameter, and new solutions are accepted indiscriminately [24].

3. Spin Glass Model

Spin glass is a model which can be used to investigate the collective properties of physical systems made from a

large number of simple elements. The important feature in this paradigm is that the interactions among these elementary components yield a collective phenomenon, such as stable magnetization orientation and the crystalline state of metal or alloy. In the Ising spin glass model [1, 25], an Ising spin on a lattice point takes on one of two possible values (directions) (i.e., ± 1 or up and down). By generalizing the Ising spin glass model to a XY spin glass model (hereafter referred to as Spin Glass model for short) [2, 11], each spin can point to any direction in a plane instead of just two possible directions.

A suitable theoretical model describing spin glasses consists of N spins placed on the regular sites of a d -dimensional lattice with linear extension L , e.g., quadratic ($N = L^2$) or cubic ($N = L^3$). The spins interact ferromagnetically or antiferromagnetically with their neighbors. The energy of such a network comes from two contributions [4, 25] and can be written as below:

$$E(\{x_i\}) = \left[-\frac{1}{2} \sum_{i=1}^N \sum_{j=1}^m x_i J_{ij} x_j \right] + \left[-\sum_{i=1}^N h_i x_i \right] \quad (1)$$

Where $E(\{x_i\})$ is the energy of all spins; the sum i, j runs over all pairs of nearest neighbors; m is the number of nearest neighbors of each spin i (that can be $m = 4$ in Van Neumann cellular automata (CA), or $m = 8$ in Moore CA [26], or $m = N$ for full connection); and J_{ij} denotes the strength of the bond connecting spins i and j . $J_{ij} > 0$ describes a ferromagnetic interaction, while $J_{ij} < 0$ describes an antiferromagnetic interaction. The quantity h_i is the external field acting on spin i and describes the energy due to the spin's orientation. Furthermore, the factor $\frac{1}{2}$ corrects for double counting of the interaction between every two neighboring spins. Here the task is to find a spin configuration x_i that minimizes the energy of the spin glass, given $\{J_{ij}\}$ and $\{h_i\}$.

4. Portfolio Selection Problem

Let us consider the Markowitz mean-variance model [27] for the portfolio selection problem as stated below,

$$\text{Min} \sum_{i=1}^N \sum_{j=1}^N x_i \sigma_{ij} x_j \quad (2)$$

$$\text{Max} \sum_{i=1}^N \mu_i x_i \quad (3)$$

$$\text{Subject to} \sum_{i=1}^N x_i = 1 \quad (4)$$

$$0 \leq x_i \leq 1, \quad i = 1, \dots, N \quad (5)$$

Where N is the number of different assets, μ_i is the mean return of asset i , and σ_{ij} is the covariance between returns of assets i and j . The decision variable x_i represents the fraction of capital to be invested in asset i .

Eqs. (1)-(2) are two cost functions that should be solved with constraints (3) and (4). μ_i is the mean return of asset

$$i \text{ in } n \text{ intervals of time, i.e. } \mu_i = \sum_{t=1}^n \frac{W_{ei}(t) - W_{bi}(t)}{W_{bi}(t)},$$

where W_{bi} is the i^{th} asset value at the beginning, and W_{ei} is the i^{th} asset value at the end of each interval.

A feasible solution of the portfolio selection problem is an optimal solution if there is no other feasible solution improving one objective without deteriorating the other. Usually, multiobjective optimization problems such as those in [28] have multiple non-dominant optimal solutions. This set of solutions form an *efficient frontier*. For the problem defined in Eqs. (1)-(4), the efficient frontier is an increasing curve that gives the best tradeoff between mean return and variance (risk).

In this paper, we change the multi-objective problem into a multimodal problem with a single objective function as follows,

Minimize

$$\lambda \left[\sum_{i=1}^N \sum_{j=1}^N x_i \sigma_{ij} x_j \right] + (1-\lambda) \left[- \sum_{i=1}^N \mu_i x_i \right] \quad (6)$$

$$\text{Subject to } \sum_{i=1}^N x_i = 1 \quad (7)$$

$$0 \leq x_i \leq 1, i = 1, \dots, N \text{ and } 0 \leq \lambda \leq 1 \quad (8)$$

Here, $\lambda = 0.5$, for the equal effect of risk and return.

5. Solving Portfolio Selection Problem Using Short Range Spin Glass

To solve the portfolio selection problem, as studied in [6], each asset is supposed to be a spin having a value between 0 and 1. A glass (network) of such spins has an energy function as indicated in Eq. (1). To solve the portfolio selection problem in Eq. (6), the following relationship is observed (for short range spin glass, i.e. $m < N$)

$$J_{ij} = -2\lambda\sigma_{ij} \quad (9)$$

$$h_i = (1-\lambda)\mu_i \quad (10)$$

Eqs. (9) and (10) refer to the *interaction* among spins and the *external field* energy of each spin, respectively. Search for optimal solutions begins with an initial assignment of each spin to $\frac{1}{N}$ (or randomly assigned).

Then, any of the various search strategies can be used, in order to put the system in its minimum energy. At any moment (spin flip or spin change), a spin is randomly selected, and ε is added to the spin's value ($\varepsilon = 0.05$, is a small fixed value). Then the values of neighboring spins change in such a way that they always meet constraints (7) and (8).

5.1. A Hybrid Local Search Algorithm (EO-SA)

In contrast to the above SA method that selects spins randomly in each flip, EO-SA gives the highest selection

probability to a spin that has lowest local energy (from Eq. (14)) hence avoiding locally optimal solutions. Here, spins are ordered based on their local energy. At each step, a 'superior' spin is selected based on its given probability in Eq. (16), with higher probability given to lower energy spins. After several iterations, because the glass moves toward lower energy and each spin affects its neighboring spins, many spins have lower energy than their initial values, i.e. the given value in Eq. (15) reduces. Hence, the system's correlation increases, and the change in each spin leads to a change in many other spins, which leads to SOC [7, 9]. In this state, any small change leads to major changes in the system, so it is expected that most possible states are accessible. Therefore, one can easily escape local optimal solutions and survey most possible states for the system.

Algorithm (3) describes how the EO-SA method can be applied to spin glasses. Temperature and cooling schedule plays a central role in SA strategy [29]. The system's temperature is usually initialized to a high value to allow all possible states to be the initially producible, i.e. more global exploration. The system is then gradually cooled to allow better local search. To do so, the temperature of the glass is considered to be initially set to $T_0 = 1$ (at high temperatures all states can occur). Each time the changes are applied, the temperature is decreased until it reaches near zero. Temperature variation is calculated as follows,

$$T(n) = \frac{T_0}{n^2}, \quad n \geq 1 \quad (11)$$

In this algorithm, λ_i is local energy of each spin in Eq. (14). Spin glasses' total energy can then be obtained from a sum of λ_i 's in Eq. (15).

$$\lambda_i = x_i \left(\frac{1}{2} \sum_{j=1}^m J_{ij} \cdot x_j + h_i \right) \quad (14)$$

$$E(\{x_i\}) = - \sum_{i=1}^n \lambda_i \quad (15)$$

All λ_i 's are computed and ordered in rising order at each step and selected based on the power law distribution in (Eq. (16)). The selected spin's value is then changed. If this change leads to lower (better) glass energy, it is accepted; otherwise, it is accepted with a probability of $e^{-\frac{\Delta E}{T}}$.

Algorithm 3: EO-SA Spin Glass

Begin

- 1 Initialize spin glass and set amount of all spins to $\frac{1}{N}$.
- 2 Calculate λ_i for each spin and sort them with a decreasing order.
- 3 Selected spins with power law distribution in Eq. (16) based on calculated λ_i .
- 4 Change the state of the selected spin i by ε (very

small change) and change all the neighboring spins to satisfy Eqs. (7) and (8).

5 Calculate the energy of the changed spin and its

$$\text{neighboring spins } (E_{\text{new}} = \sum_{i=1}^m E_i)$$

6 $\Delta E = E_{\text{new}} - E_{\text{old}}$

7 If $\Delta E < 0$ then accept this change, else

8 If $\Delta E > 0$ then accept this change with probability $\frac{\Delta E}{e^{-T}}$

9 Continue this process with decreasing temperature till either ΔE remains near 0 for several iterations (i.e., the system has reached steady state, or T has reached near 0 (system has cooled)

End

In the above algorithm, E_{old} and E_{new} are glass's energy before and after applying a change, and T is the system's temperature at the time of applying the change. This SA-based algorithm ensures convergence to global solutions if T is reduced sufficiently slowly. However, this also means a slow rate of convergence. In the below two algorithms, we investigate two alternative heuristics that choose the next spin based on a given criterion, hence aiming for faster convergence.

Selecting every spin at each step depends on the following Equation [2]:

$$k = (1 + (n^{1-\tau} - 1) \cdot \alpha)^{\frac{1}{1-\tau}} \quad (16)$$

Where k refers to the selected spin's number, whose set is ordered from low energy to high energy spins, and $0 \leq \alpha \leq 1$ is a random number. When $\tau = 0$, the algorithm acts like SA and when $\tau \rightarrow \infty$, the algorithm always selects the spin with minimum energy. Therefore, it can be expected that the above algorithm has the power law distribution equaling $P_k \propto k^{-\tau}$ in which $1 \leq k \leq n$ [8].

5.2 Problem Constraints

The two constraints in Eqs. (7) and (8) in portfolio selection problem must be considered in the algorithm. To maintain the first constraint, whenever ε is added to each spin's value, ($x_i := x_i + \varepsilon$), the value $\frac{\varepsilon}{m}$ is reduced from

each of the spin's m neighbors, ($x_j := x_j - \frac{\varepsilon}{m}$). This

ensures that the sum of all spin values remain at 1. If $x_i \geq 1$, then $x_i := 1$ and its extra value is reduced from ε .

Furthermore, if for each neighbor $x_j - \frac{\varepsilon}{m} \leq 0$, then $x_j := 0$ and the difference is added to x_i . Considering the last two cases, the second constraint (Eq. (8)) is also maintained.

6. Mathematical and Experimental Results

In order to verify the effectiveness of the above algorithms, the benchmarked "standard efficient frontier"

(Pareto Front) is compared with the efficient frontier resulting from the proposed methods.

Experiments on the benchmark data were originally performed in [30]. These data are obtained from five major stock exchange markets, during the time period extending from March 1992 to September 1997. These five stock exchange markets include Hang Seng in Hong Kong (31 assets), Deutscher Aktien Index (DAX100) in Germany (85 assets), Financial Times London Stock Exchange (FTSE100) in Britain (89 assets), Standard & Poor's (S&P100) in USA (98 assets), and Nikkei in Japan (225 assets). The efficient frontier for each of these five stock markets in the available time period is characterized by mean return as in Eq. (2) and variance of return as in Eq. (1). Fig. (4) illustrates this efficient frontier for the benchmark data.




Figure. 4: Efficient frontier for benchmark data from five major stock markets as reported in [30]

Three sets of tests are performed to analyze the spin glass behavior as follows. Firstly, spin glass's accuracy and rate of convergence are compared for the proposed two approaches, i.e. EO-SA, as well as the more conventional SA approach. Secondly, the resulting efficient frontier is compared with the benchmark's efficient frontier. Thirdly, the reliability of presented algorithms and phase transition analysis are tested and compared with those of SA. All the experiments were performed using Borland Delphi 6.0 running on a Pentium 2.0 GHz PC, under Windows XP operating system. It should be mentioned that each epoch equals 50 spin flips.

6.1 Comparing SA, EO, EO-SA

As seen in Fig. (5), all three spin glasses begin under similar random initial states and reach same final states using the two SA, EO-SA algorithms for the S&P stock market. However, they have significantly different rates of convergence. Based on the results seen in all studied stock markets, EO-SA method quickly approaches the final ground states, but fluctuates around the final states for much iteration before reaching it. Because, in each iteration the number of qualified spins increases, this cause increasing the correlation between spins; therefore, changing in each spin leads to change in many other spins

and cause fluctuates around the response range. In contrast, the SA method has a simple random behavior and slowly moves to the ground state. As illustrate in Fig. (5), Both SA and EO-SA algorithm reach near to the ground state. But, EO algorithm drops in the local optimum and fluctuates far from the response range.




Figure 5: Comparing SA, EO and EO-SA algorithms' rate of convergence for S&P stock market.

Fig. (6) plots the final spin selection probability vs. spins that are ordered in descending selection probability levels. This conclusion is illustrated in an experiment carried out for S&P stock market, with $\tau = 0.9$ for EO-SA

and $T_0 = 1$ for SA. This state occurs when the glass has passed its transient state.




Figure 6: Comparing the distribution of spins' selection resulting from EO-SA (external chart) and SA (internal chart), after reaching final state for S&P stock market. n is the size of the portfolio.

Table (1) shows a comparison between the computation time and the accuracy of reaching ground states in the three mentioned methods. While both SA and EO-SA method reach the ground state and have a generally comparable accuracy, EO-SA method has been more reliable than the other two methods in our experiments; however, the convergence time is more than EO.

Table 1: Comparing the three algorithms (SA, EO and EO-SA) for accuracy and rate of convergence over 100 independent runs for each of the five World's stock markets. Each approach is evaluated in terms of convergence time (shown in milliseconds), average minimum energy during the runs, and accuracy defined by the ratio of obtained minimum energy over actual minimal energy.

Stock market	SA			EO			EO-SA		
	Convergence time (ms)	Average Minimum Energy	Accuracy	Convergence time (ms)	Average Minimum Energy	Accuracy	Convergence time (ms)	Average Minimum Energy	Accuracy
HangSeng (31 Assets)	2140	-0.00336	99.20%	833	-0.0031	92.26%	1253	-0.00337	99.40%
DAX (85 Assets)	19111	-0.00412	99.10%	6064	-0.0038	92.23%	4091	-0.00412	99.18%
FSTE (89 Assets)	25040	-0.00335	99.20%	7741	-0.0032	95.52%	6169	-0.00335	99.24%
S&P (98 Assets)	22828	-0.00363	99.36%	2597	-0.0029	79.94%	9048	-0.00363	99.3%
Nikkei (225Assets)	214045	-0.00142	98.91%	89761	-0.00135	95.07%	98103	-0.00142	98.89%

7. Reliability Test

Test of reliability is performed by running the algorithm n times independently with the same data [10]. To pass the test, the test runs are expected to yield similar results with small variance. To do so, the reliability test of the three algorithms is carried out for the five benchmarks. For brevity, the analysis of S&P stock market is shown here. Results are shown in the form of the frequency chart in Fig. (7, 8). It is done in such a way that spin glass's minimum energy (E_{gs}) in the ground state is counted and the probability to reach that state is also shown. The variance between the final energy states is given in Table (1). Experimental results from 100 trials indicate that the algorithm's final value has a small variance. In other words, final spin glass's energy at each trial is in the range of best responses. Even though the movement towards this final response is random in the above algorithms, they consistently

reach the ground state.




Figure 7. The SA Reliability Test of S&P 100 stock market (where Egs is glass energy at ground state).

8. Optimization Frontier

The final Pareto front from EO-SA algorithm can be

seen in Fig. (9) (the results are similar to SA). It shows the validity of energy reduction and avoiding local optimums for the five mentioned stock markets. The standard frontier for different λ 's is also drawn. For having a Pareto frontier, λ is considered in the range of 0.05 to 0.95 with 0.05 differences. For any λ , timization state was found and its risk found,apital return values were defined with points. The validity of the presented algorithm in finding optimization response with different λ was seen through comparing the resulting and standard (benchmark) Pareto fronts. Since the surface of whole optimization frontier is covered, one can draw that the presented method gives response for any

Error!
Bookmark not defined.

9- Phase Transition Analysis

The temperature at phase transition is defined as the temperature at which the likelihood of reaching the glass's actual minimum state suddenly decreases [11]. Fig. (10) illustrates the spin glass temperature at phase transition. As it can be observed, before phase transition the probability of reaching the minimum state ($\frac{E_{gs}}{E_{min}}$) nears 1 (E_{gs} is the ground state energy of glass, and E_{min} is the actual minimum of cost function).




Figure 8. The EO-SA Reliability Test with $\tau = 0.9$ of S&P 100 stock market (where Egs is glass energy at ground state).

As the temperature increases, this probability is expected to gradually decrease, but this decrease does not occur until reaching near the temperature at phase transition, at which time, there is a sudden change in glass behavior. Here, phase transition is defined to occur where the likelihood ratio $\frac{E_{gs}}{E_{min}}$ is decreased by 1%. As illustrated in Fig. (10), most of the benchmarks reach phase transition at 1.12×10^{-6} temperature (as indicated by a vertical line) for the SA algorithm. As Fig (11) suggests, most of the benchmarks with EO-SA find their minimum states even at higher temperatures (7.9×10^{-6}) as compared with SA, prompting EO-SA as the algorithm that converges soonest. The above phase transition analysis also confirms the conclusions of Table (1). Specifically, this experiment shows that, in EO-SA, the temperature of phase transition

is higher than the SA, and accordingly better rate of convergence.




Figure 9: Efficient frontier obtained from EO-SA algorithm compared to standard efficient frontier from benchmark data [22].

10- Conclusion

In this paper, a hybrid approach are proposed for finding short range spin glass's ground state based on extremal optimization (EO-SA). The EO-SA method selects spins with minimum energy with a higher probability. A flip (change) in any spin leads to changes in its neighboring spins. If all of these changes reduce spin glass's energy, more and more spins will be better qualified and the correlation between spins increases. A process of self organizing criticality then occurs where the change in each spin leads to changes in many spins, allowing the glass to escape local optimums more easily. As the experiments on phase transitions illustrate, the temperature at phase transition is elevated, hence the rate of convergence is improved.

A comparison of experiments shows the superiority of EO-SA to conventional EO and SA. EO only has a faster rate of convergence with not reliable accuracy. This is also confirmed by phase transition analysis and reliability test.




Figure 10: Portfolio selection phase transition phenomena based on SA for the five benchmark stock market data;

transition temperature is approximately 1.12×10^{-6}




Figure 11: Portfolio selection phase transition phenomena based on EO-SA for the five benchmark stock market data; transition temperature is approximately 7.9×10^{-6}

References

- [1] E. Bolthausen, A. Bovier, "Spin Glasses," *Springer-Verlag Berlin Heidelberg*, (2007).
- [2] A. K. Hartmann, H. Rieger, "Optimization Algorithms in Physics," *Wiley-VCH Verlag Co*, (2002).
- [3] S. Galluccio, J.P. Bouchaud, and M. Potters, "Rational Decisions, Random Matrices and Spin Glasses," *Journal of Physica A* 259, pp: 449-456, (1998).
- [4] S. Kirkpatrick, R.H. Swendsen, "Statistical Mechanics and Disordered Systems," *Journal of Communications of the ACM*, Vol. 28, No 4, April (1985).
- [5] Y. Crama, M. Schyns, "Simulated Annealing for Complex Portfolio Selection Problems," *European Journal of Operational Research* 150, pp: 546-571, (2003).
- [6] M. Vafaei Jahan, M.R Akbarzadeh-T, "From Local Search to Global Conclusions: Migrating Spin Glass-based Distributed Portfolio Selection," Accepted for publication, 2009, *IEEE Transactions on Evolutionary Computations*.
- [7] K.S. Narendra and M.A.L Thathachar, "Learning Automata: An Introduction," *Prentice Hall*, (1989).
- [8] S.Boettcher, A.G. Percus, "Extremal optimization: An Evolutionary Local search algorithm," *Neural, Parallel & Scientific Computations*, Vol. 10, Issue 2, pp: 249 - 258 (2002).
- [9] P. Bak and K. Sneppen, "Punctuated Equilibrium and Criticality in a simple Model of Evolution," *Phys. Rev. Lett.* 71, 4083-4086 (1993).
- [10] A.K. Hartmann and H. Rieger, "New Optimization Algorithms in Physics," *Wiley-VCH Verlag Co*, (2004).
- [11] A. K. Hartmann, M. Weigt, "Phase Transitions in Combinatorial Optimization Problems, Basics, Algorithms and Statistical Mechanics," *Wiley-VCH Verlag Co*, (2005).
- [12] A. Gabor, I. Kondor, "Portfolio with Nonlinear Constraints and Spin Glasses," *Physica A* 274, 222-228, (1999).
- [13] A. Fernandez, S. Gomez, "Portfolio Selection Using Neural Networks," *Computers & Operations Research* 34, pp: 1177-1191 (2007).
- [14] H. Nishimori, "Statistical Physics of Spin Glasses and Information Processing: An Introduction," *Clarendon press oxford*, (2001).
- [15] H. Nishimori, "Spin glasses and information", *Physica A* 384, 94-99 (2007).
- [16] T. Horiguchi, H. Takahashi, K. Hayashi, C. Yamaguchi, "Ising Model for Packet Routing Control," *Journal of Physics Letters A* 330, pp:192-197, (2004).
- [17] S. Boettcher, AG. Percus, "Extremal optimization for graph partitioning," *Phys. Rev. E Stat. Nonlin. Soft Matter Phys.*, 64(2 Pt 2):026114. Epub (2001).
- [18] S. Boettcher, "Extremal Optimization of graph partitioning at the percolation threshold," *J. Phys A.: Math.Gen* 32, pp: 5201-5211, (1999).
- [19] S. Boettcher, "Extremal Optimization at the Phase Transition of the 3-Coloring Problem," *Phys. Rev. E Stat Nonlin Soft Matter Phys.*, 69(6 Pt 2):066703. Epub (2004).
- [20] S. Boettcher, AG. Percus, "Optimization with extremal dynamics," *Phys. Rev. Lett.* Jun 4, 86(23); pp: 5211-4, (2001).
- [21] J. Duch and A. Arenas, "Community detection in complex networks using extremal optimization," *Physical Review E*, 72(2), pp.1-4, 2005.
- [22] D. Garlaschelli, A. Capocci and G. Caldarelli, "Self-organized network evolution coupled to extremal dynamics," *Nature Physics*, Vol. 3, pp.813-817, 2007.
- [23] T. Zhou, W. J. Bai and L.J. Cheng, "Continuous extremal optimization for Lennard-Jones clusters," *Physical Review E*, 72(1), pp.1-5, 2005.
- [24] G.Q. Zeng and Y.Z. Lu, "Survey on Computational Complexity with Phase Transitions and Extremal Optimization," *Joint 48th IEEE Conference on Decision and Control and 28th Chinese Control Conference*, Shanghai, P.R. China, December 16-18, 2009.
- [25] Bar-Yam, Yaneer, "Dynamics of Complex Systems," *Addison Wesley Longman, Inc*, (1997).
- [26] P. Sarkar, "A Brief History of Cellular Automata," *ACM Computing Surveys*, Vol. 32, No. 1, March (2000).
- [27] H. Markowitz, "Portfolio selection," *Journal of Finance* No 7:77-91, (1952).
- [28] C.A. Coello Coello, "An Updated Survey of GA-Based Multiobjective Optimization Techniques," *ACM Computing surveys*, Vol. 32, No. 2, June (2000).
- [29] L. Ingber, "Simulated annealing: Practice versus theory," *Mathematical Computer Modeling*, Vol. 18, No. 11, Dec (1993).
- [30] Portfolio selection benchmark data at "<http://people.brunel.ac.uk/~mastjib/jeb/orlib/portinfo.html>"